

#### **ABOUT US**

Paras Overseas is an ISO 9001 & 14001 certified flagship company of the Paras Group. It was incorporated in the year 2014, as a professionally managed manufacturer with a mission to hold highest standard of excellence in metal industry across the globe. With our deep functional and expertise in metal industry, we proficiently cater to customers' requirements, spot opportunities, mitigate risks and accelerate growth.

Paras Overseas manufactures a comprehensive range of metal solutions for the Steel, Automobile and Power industry across the globe. Our success is grounded in the backward and forward integration of our manufacturing plants, to never stop in being more productive, innovative and sustainable in offering quality products at reasonable prices.



#### **OUR MISSION**

To produce high-quality products using sustainable practices, while meeting the evolving needs of customers across various industries. We strive to foster innovation, optimize production processes, ensure customer satisfaction, and contribute positively to the environment and the communities it operates in.



#### **OUR VISION**

To lead the industry with uncompromising quality, exceptional service, and a commitment to sustainable practices, shaping a brighter future for our customers and the world.















# **OUR PRODUCTS**

#### **ALUMINIUM INGOTS**

Al: 93%, 97%, 98%, 98.5%, 99%





#### **ALUMINIUM CUBES**

Al: 93%, 97%, 98%, 98.5%, 99%


#### **ALUMINIUM NOTCH BAR**


Al: 93%, 97%, 98%, 98.5%, 99%



#### **ALUMINIUM SHOTS**

Al: 93%, 97%, 98%





### **ALUMINIUM ROUND CUBES**

Al: 93%, 97%, 98%, 98.5%, 99%

## **COPPER INGOTS**


CU: ABOVE 99%



## **ALUMINIUM ALLOY INGOTS**

#### **ALUMINIUM ALLOYS INGOTS CHEMICAL COMPOSITION**

Alloy	SI	Fe	Cu	Mn	Nig	Mi	Zn	Sn	Ti	Pb	Cr
ACIA	1.20max	0.50max	4.0-5.0	0.30max	0.15max	0.05max	0.30max	0.05max	0.25max	0.05max	0.05max
AC1B	0.20max	0.35max	4.2-5.0	0.10max	0.15-0.35	0.05max	0.10max	0.05max	0.05-0.30	0.05max	0.05max
AC2A	40-6.0	0.80max	3.0-4.5	0.55max	0.25 max	0.30max	0.55max	0.05max	0.20max	0.15max	0.15max
AC2B	5.0-7.0	1.0max	2.0-4.0	0.50max	0.50max	0.35max	1.00max	0.10max	0.20 max	0.20max	0.20max
AC3A	10.0-13.0	0.80max	0.20max	0.35max	0.15max	0.10 max	0.30max	0.10max	0.20max	0.10max	0.15max
AC4A	8.0-10.0	0.40max	0.25max	0.3-0.6	0.3-0.6	0.10max	0.25max	0.05max	0.20max	0.10max	0.15max
AC4B	7.0-10.0	1.0max	2.0-4.0	0.50max	0.50max	0.35max	1.00max	0.10max	0.20max	0.20max	0.20max
AC4C	6.5-7.5	0.55max	0.25 max	0.35max	0.25-0.45	0.10max	0.35max	0.05max	0.20max	0.10max	0.10max
AC4CH	6.5-7.5	0.20max	0.20max	0.10max	0.30-0.45	0.5max	0.10max	005max	0.20max	0.05max	0.05max
AC4D	4.5-55	0.60 max	1.0-1.5	0.50max	0.45-0.60	0.20max	0.30max	0.05max	0.20max	0.10max	0.15max
AC5A	0.60max	0.80max	3.5-4.5	0.35max	1.30-1.80	1.7-23.3	0.15max	0.05max	0.20max	0.05max	0.15max
AC7A	0.20max	0.30max	0.10max	0.60max	3.5-5.55	0.5max	0.15max	0.05max	020max	0.10max	0.15max
AC8A	11.0-13.0	0.80max	0.8-1.3	0.15max	0.80-1.30	0.8-1.5	0.15max	0.05max	0.20max	0.05max	0.10max
AC8B	8.5-10.5	1.0max	2.0-4.0	0.50max	0.60-1.50	1.0-1.0	0.50max	0.10max	0.20max	0.05max	0.10max
AC8C	8.5-10.5	1.0max	2.0-4.0	0.50max	0.60-1.50	0.50max	0.50max	0.10max	0.20max	0.05max	0.10max
AC9A	22.0-24.0	0.80max	0.5-1.6	0.50max	0.60-1.50	0.5-1.5	0.20max	0.10max	0.20max	0.10max	0.10max
AC9B	18.0-20.0	0.80max	0.5-1.6	0.50max	0.60-1.50	0.5-1.5	0.20max	0.10max	0.20max	0.10max	0.10max
ADC1	11.0-13.0	1.30max	1.0max	0.3max	0.3max	0.5max	0.5max	0.1max			
ADC3	9.0-10.0	1.30max	0.6max	0.3max	0.4-0.6	0.5max	0.5max	0.1max			
ADC5	0.3max	1.80max	0.2max	0.3max	4.1-8.5	0.1max	0.1max	0.1max			
ADC6	1.0max	0.8max	0.1max	0.4-0.6	2.6-4.0	0.1max	0.4max	0.1max			
ADC10	7.5-9.5	0.9max	2.0-4.0	0.5max	0.3max	0.5max	1.0max	0.3max			
ADC10Z	7.5-9.5	1.3max	2.0-4.0	0.5max	0.3max	0.5max	3.0max	0.3max			
ADC12	9.6-12.0	0.9max	1.5-3.5	0.5max	0.3max	0.5max	1.5max	0.3max			
ADC12Z	9.6-12.0	1.3max	1.5-3.5	0.5max	0.3max	.0.5max	0.9max	0.3max			
ADC14	16.0-18	0.9max	4.0-5.0	0.5max	0.50-0.65	0.3max	2.0max	0.3max			
ALS1132	11-12.50	0.5-0.8max	1.9-2.5max	0.3max	0.3max	0.3max	0.5max	0.1max	0.2max	0.15 max	
LM2	9.0-11.5	1.0max	0.7-2.5	0.50max	0.3max	0.5max	0.1max	0.20max	0.2max	0.30 max	
LM4	4.0-6.0	0.8max	2.04.0	0.2-0.6	0.15max	0.3max	0.1max	0.10max	0.2max	010max	
LM5	0.3max	0.6max	0.1max	0.3-0.7	3.0-6.0	0.1max	0.1max	0.05max	0.2max	0.05max	
LM8	10.0-13.0	0.6max	0.1max	0.1max	0.1max	0.1max	0.1max	0.05max	0.2max	0.10max	
LM9	1013.0	0.6max	0.1max	0.6max	0.2-0.6	0.1max	0.8max	0.05max	0.2max	0.10max	
LM10	0.25max	0.35max	0.1max	0.5max	9.5-11	0.1max	0.5max	0.05max	0.2max	0.05max	
LM12	2.5max	1.0max	9.0-11	0.5max	0.2-0.4	0.5max	0.1max	0.10max	0.2max	0.10max	
LM13	1012.0	1.0max	0.7-1.5	0.5max	0.8-105	1.5m	0.1max	0.10max	0.2max	0.10max	
LM16	4.5-5.5	0.6max	1.0-1.5	0.5max	0.4-0.6	0.25max	0.2max	0.05max	0.2max	0.10max	
LM18	4.5-6.0	0.6max	0.1max	0.2-06	0.1max	0.1max	2.0max	0.05max	0.2max	0.10max	
LM20	4.5-6.0	1.0max	0.4max	0.2-0.6	0.2max	0.1max	0.15max	0.10max	0.2max	0.10max	
LM21	10.0-13.0	1.0max	3.0-5.0	0.5max	0.1-0.3	0.3max	3.0max	0.10max	0.2max	0.20max	
LM22	AND DESCRIPTION OF THE PARTY OF	0.6max	2.8-3.8	0.3max	0.05max	0.15max	0.1max	0.05max	0.2max	0.10max	
LM24	4.0-6.0	1.3max	3.0-4.0	0.5max	0.3max	0.5max	1.0max	0.20max	0.2max	0.30max	
LM25		0.5m	0.1max	0.2-0.6	0.2-0.45	0.1max	1.0max	0.05max	0.2max	0.10 max	
						-					
		1.2m	2.0-4.0	0.6max	0.5-1.5	1.0max	1.0max	0.10max	0.2max	0.20max	
LM27		0.8max	1.5-2.5	0.2-06	0.3max	0.3max	0.2max	0.10max	0.2max	0.20max	
The state of the s		0.7max	1.3-1.8	0.6max	0.8-1.5	0.8-1.5	0.2max	0.10max	0.2max	0.10max	
LM29	Access to the second se	0.7max	0.13-1.3	0.6max	0.8-1.3	0.8-1.3	0.2max	0.10max	0.2max	0.10max	
LM30	16-18	1.1m	4.0-5.0	0.3max	0.4-0.7	0.1max	0.2max	0.10max	0.2max	0.10max	





CORPORATE OFFICE
1008 PARAS,
SUKHSAGAR COMPLEX
BESIDE FORTUNE LANDMARK HOTEL
ASHRAM ROAD,JUNAVADAJ
AHMEADABAD-380013

MANUFACTURING UNIT SURVEY NO 1443, MOUJE JHULASAN TALUKA KADI DIST MEHSANA

+91 93137 23883

info@parasgroups.in